WALL LIGHTING

Aveline

Brass Linen Wall Lamp

A curved metal arm and tapered linen shade bring soft texture and a classic silhouette to interior walls.



PRODUCT SPECIFICATIONS

HEIGHT	40 cm / 15.7 in
PROJECTION	23 cm / 9.1 in
BACKPLATE	12 cm / 4.7 in diameter
MATERIALS	Copper; linen fabric
LIGHT SOURCE	1 × E14 LED bulb
VOLTAGE	90-260V AC
LIGHTING AREA	5-10 m² / 54-108 ft²
DIMMING	Available upon request
INSTALLATION	Hardwired wall mount

GOLD SHOWN

One guide covers the Black and Gold variants, with the same dimensions and assembly.

FINISH OPTIONS


- Black
- Gold

Finish markers are indicative. Linen weave and texture may vary naturally.

SIZE REFERENCE

Dimensions

The same dimensions apply to Black and Gold.



FIXTURE ILLUSTRATION · NOT TO SCALE

HEIGHT	PROJECTION	BACKPLATE DIAMETER
40 cm / 15.7 in	23 cm / 9.1 in	12 cm / 4.7 in

Projection is the distance from the wall to the front of the fixture.

BEFORE INSTALLATION

Safety & care

POWER & WATER

Turn off the power to the main circuit panel before starting. Do not immerse the fixture in water. Failure to follow the assembly instructions may result in a fire or electric shock hazard.

MOUNTING SURFACE & FITTINGS

Pulling the fixture out of the surface may cause personal injury and damage to the fixture or mounting surface. To reduce this risk, install only on surfaces with intact mechanical structures.

Different materials require different fittings. Always select screws and plugs specifically matched to the material.

KEEP AWAY FROM CHILDREN

Choking hazard. Keep the power cord at least 3 feet (91.4 cm) away from cribs, bassinets and toddler beds. This product is not a toy and has no play value.

CARE & MAINTENANCE

Handle with care during assembly and cleaning to avoid scratches or breakage. Do not use chemical solvents or abrasive cleaners on the lampshade, as they may damage the finish. Use only a soft, dry cloth to remove dust.


For product support, contact support@baskoraa.com.

INSTALLATION · STEP 01

Connect the wiring

With the power off, connect the wiring as shown: live to L, neutral to N and earth/ground to the centre terminal.

L LIVE **N NEUTRAL** **EARTH / GROUND**




CONNECTION DETAIL · NOT TO SCALE

INSTALLATION · STEP 02

Secure the lamp body

Position the round backplate against the mounting point and secure it with the two screws in the arrangement shown.




TWO-SCREW ARRANGEMENT · NOT TO SCALE

INSTALLATION · STEP 03

Fit the shade and bulb

Lower the shade over the lamp holder, secure it with the retaining ring, then screw the E14 LED bulb into the holder.



SHADE, RETAINING RING & BULB · NOT TO SCALE